

Technical Data Sheet

O-Rings


Hardness of O-Rings

The hardness of all elastomers is generally expressed in accordance with the internationally accepted scale Shore A.

All figures quoted are subject to a tolerance of +/- 5° and the higher the number the harder the compound. Standard O-Rings are usually available between 60° and 90° with 70° being the standard which will always be supplied in the absence of an alternative being requested.

Ordering

When ordering an O-Ring please state either the size reference number or the internal diameter, followed by the cross-section diameter, and then the type of material and shore hardness required. All dimensions are quoted in mm.



Tolerances

O-Rings are manufactured to close tolerances as defined in BS1806-1989, BS 4518- 1982, ISO 3601/1 and DIN 3771/1 up to and including an internal diameter of 670mm and cross section of 7mm.

The tables below relate to O-Rings manufactured from our standard Nitrile compound and refers to the smaller diameter within the specified range.

With other materials and shore hardness, slight deviations may occur due to the differing shrinkage behaviour of proprietary compounds.

Inside diameter	Tolerances ±
up to - 2.50	0.13
2.50 - 6.30	0.14
6.30 - 10	0.16
10 - 18	0.18
18 - 30	0.22
30 - 50	0.31
50 - 80	0.47
80 - 100	0.71
100 - 120	0.87
120 - 150	1.00
150 - 180	1.24
180 - 250	1.44
250 - 300	1.93
300 - 350	2.25
350 - 400	2.56
400 - 450	2.91
450 - 500	3.20
500 - 650	3.54
650 - 800	4.46

O-Rings



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
0.74 X	1.02		001
1.00 X	1.00		
1.07 X	1.27		002
1.15 X	1.00		R000
1.20 X	0.70		
1.25 X	1.00		
1.25 X	2.62		102
1.40 X	0.70		
1.42 X	1.52		003
1.50 X	1.00		
1.78 X	1.02		003.5
1.78 X	1.78		004
1.80 X	0.70		
1.80 X	1.20		
1.80 X	1.50		
2.00 X	1.00		
2.00 X	1.30		
2.00 X	1.50		
2.00 X	1.60		
2.00 X	2.00		
2.06 X	2.62		103
2.20 X	1.60		R00
2.30 X	0.90		
2.35 X	1.00		
2.40 X	1.05		
2.40 X	1.90		R 0
2.50 X	1.00		
2.50 X	1.20		
2.50 X	1.30		
2.50 X	1.50		
2.50 X	1.60		
2.54 X	1.02		607
2.57 X	1.78		005
2.60 X	1.20		
2.60 X	1.90		R1
2.60 X	2.40		
2.70 X	1.00		

Dimensions			Size
I/D	X	C/S	Ref. No.
2.75 X	1.60		
2.80 X	1.60		
2.80 X	1.90		P3
2.85 X	2.62		104
2.90 X	1.78		006
2.90 X	2.62		
3.00 X	1.00		
3.00 X	1.25		
3.00 X	1.50		
3.00 X	2.00		
3.00 X	2.40		
3.00 X	3.00		
3.00 X	3.50		
3.10 X	1.60		
3.10 X	2.60		
3.17 X	1.78		801
3.20 X	1.78		
3.30 X	2.40		
3.40 X	1.90		R2
3.50 X	1.00		
3.50 X	1.20		
3.50 X	1.50		
3.50 X	2.00		
3.60 X	2.40		
3.63 X	2.62		105
3.68 X	1.78		007
3.70 X	1.00		
3.70 X	1.60		
3.80 X	1.25		
3.80 X	1.90		P4
4.00 X	1.00		
4.00 X	1.10		
4.00 X	1.20		
4.00 X	1.50		
4.00 X	2.00		
4.00 X	2.20		
4.00 X	2.50		

Dimensions			Size
I/D	X	C/S	Ref. No.
4.00 X	3.00		
4.10 X	1.60		
4.20 X	1.40		
4.20 X	1.90		R3
4.30 X	2.40		
4.34 X	3.53		201
4.42 X	2.62		106
4.47 X	1.78		008
4.50 X	1.00		
4.50 X	1.50		
4.50 X	1.80		
4.50 X	2.00		
4.60 X	2.40		
4.70 X	1.42		901
4.70 X	1.60		
4.76 X	1.78		802
4.90 X	1.90		R4
5.00 X	1.00		
5.00 X	1.20		
5.00 X	1.50		
5.00 X	1.75		
5.00 X	2.00		
5.00 X	2.50		
5.00 X	3.00		
5.00 X	3.50		
5.00 X	4.00		
5.10 X	1.60		
5.23 X	2.62		107
5.28 X	1.78		009
5.30 X	2.40		
5.50 X	1.00		
5.50 X	1.50		
5.50 X	1.60		
5.50 X	2.00		
5.50 X	2.40		
5.50 X	2.50		
5.60 X	2.40		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
5.70 X	1.90		R5
5.80 X	1.90		P6
5.94 X	3.53		202
6.00 X	1.00		
6.00 X	1.50		
6.00 X	1.80		
6.00 X	2.00		
6.00 X	2.20		
6.00 X	2.30		
6.00 X	2.50		
6.00 X	3.00		
6.00 X	4.00		
6.02 X	1.63		902
6.02 X	2.62		108
6.07 X	1.78		010
6.10 X	0.84		
6.10 X	1.60		
6.30 X	2.40		
6.35 X	1.78		803
6.40 X	1.90		R5A
6.50 X	1.00		
6.50 X	1.50		
6.50 X	2.00		
6.50 X	3.00		
6.60 X	2.40		
6.75 X	1.78		610
6.80 X	1.90		P7
6.86 X	1.78		
7.00 X	1.00		
7.00 X	1.20		
7.00 X	1.50		
7.00 X	1.80		
7.00 X	2.00		
7.00 X	2.50		
7.00 X	3.00		
7.00 X	4.00		
7.10 X	1.60		

Dimensions			Size
I/D	X	C/S	Ref. No.
7.20 X	1.90		R6
7.20 X	2.20		
7.30 X	2.40		
7.50 X	1.50		
7.50 X	2.00		
7.50 X	2.20		
7.50 X	2.50		
7.50 X	3.20		
7.52 X	3.53		203
7.60 X	1.20		
7.60 X	2.40		
7.60 X	2.62		109
7.65 X	1.63		903
7.65 X	1.78		011
7.80 X	1.90		P8
7.93 X	4.76		
7.94 X	1.78		804
8.00 X	1.00		
8.00 X	1.25		
8.00 X	1.50		
8.00 X	1.90		R6A
8.00 X	2.00		
8.00 X	2.40		
8.00 X	2.50		
8.00 X	3.00		
8.00 X	3.50		
8.00 X	4.00		
8.00 X	5.00		
8.10 X	1.60		
8.30 X	1.00		
8.30 X	2.40		
8.50 X	1.00		
8.50 X	1.27		
8.50 X	1.50		
8.50 X	2.00		
8.50 X	2.50		
8.60 X	2.40		

Dimensions			Size
I/D	X	C/S	Ref. No.
8.73 X	1.78		611
8.90 X	1.83		904
8.90 X	1.90		R7
8.90 X	2.70		R8
9.00 X	1.00		
9.00 X	1.50		
9.00 X	2.00		
9.00 X	2.20		
9.00 X	2.50		
9.00 X	3.00		
9.00 X	3.50		
9.00 X	4.00		
9.10 X	1.60		
9.12 X	3.53		204
9.20 X	2.62		110
9.25 X	1.78		012
9.30 X	2.40		
9.50 X	1.00		
9.50 X	1.50		
9.50 X	1.60		
9.50 X	2.00		
9.50 X	2.50		
9.50 X	3.50		
9.52 X	1.78		
9.60 X	2.40		
9.75 X	1.78		
9.80 X	1.90		P10
9.80 X	2.40		P10A
9.92 X	2.62		613
10.00 X	1.00		
10.00 X	1.30		
10.00 X	1.50		
10.00 X	2.00		
10.00 X	2.20		
10.00 X	2.50		
10.00 X	3.00		
10.00 X	3.50		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
10.00	X	4.00	
10.00	X	5.00	
10.10	X	1.60	
10.30	X	2.40	
10.47	X	5.33	309
10.50	X	1.50	
10.50	X	2.00	
10.50	X	2.50	
10.50	X	2.70	R9
10.51	X	1.83	905
10.60	X	2.40	
10.69	X	3.53	205
10.77	X	2.62	111
10.82	X	1.78	013
11.00	X	1.00	
11.00	X	1.30	
11.00	X	1.50	
11.00	X	2.00	
11.00	X	2.50	
11.00	X	3.00	
11.00	X	3.50	
11.00	X	4.00	
11.00	X	5.00	
11.10	X	1.60	
11.11	X	1.78	806
11.30	X	2.40	
11.50	X	2.50	
11.50	X	3.00	
11.60	X	1.20	
11.60	X	2.40	
11.70	X	5.80	
11.80	X	2.40	P12
11.90	X	1.98	906
11.91	X	1.78	
11.91	X	2.62	614
12.00	X	1.20	
12.00	X	1.50	

Dimensions			Size
I/D	X	C/S	Ref. No.
12.00	X	2.00	
12.00	X	2.25	
12.00	X	2.50	
12.00	X	3.00	
12.00	X	3.50	
12.00	X	4.00	
12.00	X	4.50	
12.00	X	5.00	
12.00	X	7.00	
12.07	X	5.33	310
12.10	X	1.60	
12.10	X	2.70	R10
12.29	X	3.53	206
12.30	X	2.40	P12.5
12.37	X	2.62	112
12.42	X	1.78	014
12.50	X	1.50	
12.50	X	2.00	
12.50	X	2.50	
12.50	X	3.00	
12.60	X	2.40	
12.70	X	2.62	807
13.00	X	1.00	
13.00	X	1.30	
13.00	X	1.50	
13.00	X	2.00	
13.00	X	2.50	
13.00	X	3.00	
13.00	X	3.50	
13.00	X	4.00	
13.00	X	5.00	
13.10	X	1.60	
13.10	X	2.62	615
13.26	X	1.52	
13.30	X	2.40	
13.46	X	2.08	907
13.50	X	1.30	

Dimensions			Size
I/D	X	C/S	Ref. No.
13.50	X	1.50	
13.50	X	2.00	
13.60	X	2.40	
13.60	X	2.70	R11
13.64	X	5.33	311
13.80	X	2.40	P14
13.87	X	3.53	207
13.95	X	2.62	113
14.00	X	1.00	
14.00	X	1.25	
14.00	X	1.50	
14.00	X	1.78	015
14.00	X	2.00	
14.00	X	2.50	
14.00	X	3.00	
14.00	X	3.50	
14.00	X	4.00	
14.00	X	5.00	
14.10	X	1.60	
14.30	X	2.40	
14.50	X	2.00	
14.50	X	3.00	
14.50	X	4.50	
14.60	X	2.40	
14.80	X	2.40	P15
15.00	X	1.00	
15.00	X	1.50	
15.00	X	2.00	
15.00	X	2.50	
15.00	X	3.00	
15.00	X	3.20	
15.00	X	3.50	
15.00	X	4.00	
15.00	X	5.00	
15.08	X	2.62	616
15.10	X	1.60	
15.10	X	2.70	R12

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom



Certificate Number: 14352
ISO 9001



O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
15.20 X	1.78		
15.24 X	5.33		312
15.30 X	2.40		
15.47 X	3.53		208
15.50 X	1.50		
15.50 X	3.00		
15.50 X	4.00		
15.55 X	2.62		114
15.60 X	1.78		016
15.60 X	2.40		
15.80 X	2.40		P16
15.88 X	2.62		809
16.00 X	1.00		
16.00 X	1.25		
16.00 X	1.50		
16.00 X	2.00		
16.00 X	2.50		
16.00 X	3.00		
16.00 X	3.50		
16.00 X	4.00		
16.00 X	4.50		
16.00 X	5.00		
16.00 X	6.00		
16.10 X	1.60		
16.30 X	2.40		
16.36 X	2.20		908
16.40 X	1.00		
16.50 X	1.50		
16.50 X	2.00		
16.50 X	2.50		
16.60 X	2.40		
16.82 X	5.33		313
16.90 X	2.70		R13
17.00 X	1.00		
17.00 X	1.20		
17.00 X	1.50		

Dimensions			Size Ref. No.
I/D	X	C/S	
17.00 X	2.50		
17.00 X	3.00		
17.00 X	3.50		
17.00 X	4.00		
17.00 X	5.00		
17.04 X	3.53		209
17.10 X	1.60		
17.12 X	2.62		115
17.17 X	1.78		017
17.30 X	2.40		
17.46 X	2.62		810
17.50 X	1.00		
17.50 X	1.50		
17.50 X	2.00		
17.50 X	2.50		
17.60 X	2.40		
17.80 X	2.40		P18
17.86 X	2.62		617
17.93 X	2.46		909
18.00 X	1.00		
18.00 X	1.50		
18.00 X	2.00		
18.00 X	2.50		
18.00 X	3.00		
18.00 X	3.50		
18.00 X	4.00		
18.00 X	4.50		
18.00 X	5.00		
18.00 X	6.00		
18.10 X	1.60		
18.20 X	3.00		
18.30 X	2.40		
18.30 X	3.60		R15
18.40 X	2.70		R14
18.42 X	5.33		314
18.50 X	1.20		
18.50 X	1.50		

Dimensions			Size Ref. No.
I/D	X	C/S	
18.50 X	2.00		
18.50 X	2.50		
18.50 X	3.00		
18.60 X	2.40		
18.64 X	3.53		210
18.72 X	2.62		116
18.77 X	1.78		018
19.00 X	1.00		
19.00 X	1.50		
19.00 X	2.00		
19.00 X	2.50		
19.00 X	3.00		
19.00 X	3.50		
19.00 X	4.00		
19.00 X	5.00		
19.10 X	1.60		
19.15 X	1.78		
19.18 X	2.46		910
19.20 X	3.00		
19.20 X	3.20		
19.30 X	2.40		
19.50 X	1.00		
19.50 X	1.50		
19.50 X	2.00		
19.50 X	2.40		
19.50 X	3.00		
19.80 X	2.40		P20
19.80 X	3.60		R 16
19.99 X	5.33		315
20.00 X	1.00		
20.00 X	1.30		
20.00 X	1.50		
20.00 X	2.00		
20.00 X	2.50		
20.00 X	3.00		
20.00 X	3.50		
20.00 X	4.00		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
20.00 X	4.50		
20.00 X	5.00		
20.00 X	6.00		
20.10 X	1.60		
20.22 X	3.53		211
20.30 X	2.40		
20.30 X	2.62		117
20.35 X	1.78		019
20.50 X	2.00		
20.50 X	2.40		
20.50 X	2.50		
20.64 X	2.62		812
20.80 X	2.40		P21
21.00 X	1.00		
21.00 X	1.50		
21.00 X	2.00		
21.00 X	2.50		
21.00 X	3.00		
21.00 X	3.50		
21.00 X	4.00		
21.00 X	4.50		
21.00 X	5.00		
21.10 X	1.60		
21.30 X	2.40		
21.30 X	3.60		R17
21.50 X	1.50		
21.50 X	2.00		
21.50 X	2.40		
21.50 X	3.00		
21.50 X	4.50		
21.59 X	5.33		316
21.60 X	2.40		
21.70 X	3.50		P22A
21.82 X	3.53		212
21.90 X	2.62		118
21.92 X	2.95		911

Dimensions			Size
I/D	X	C/S	Ref. No.
21.95 X	1.78		020
22.00 X	1.00		
22.00 X	1.30		
22.00 X	1.50		
22.00 X	2.00		
22.00 X	2.50		
22.00 X	3.00		
22.00 X	3.50		
22.00 X	4.00		
22.00 X	4.50		
22.00 X	5.00		
22.10 X	1.60		
22.20 X	3.00		
22.23 X	2.62		813
22.30 X	2.40		
22.50 X	1.50		
22.50 X	2.00		
22.50 X	2.50		
22.50 X	3.00		
22.60 X	1.10		
22.80 X	0.80		
23.00 X	1.00		
23.00 X	1.20		
23.00 X	1.50		
23.00 X	2.00		
23.00 X	2.50		
23.00 X	3.00		
23.00 X	3.60		R18
23.00 X	4.00		
23.00 X	4.50		
23.00 X	5.00		
23.00 X	6.00		
23.17 X	5.33		317
23.39 X	3.53		213
23.47 X	2.62		119
23.47 X	2.95		912

Dimensions			Size
I/D	X	C/S	Ref. No.
23.50 X	2.00		
23.50 X	2.40		
23.52 X	1.78		021
23.60 X	2.40		
23.70 X	3.50		P24
23.81 X	2.62		814
24.00 X	1.00		
24.00 X	1.20		
24.00 X	1.50		
24.00 X	2.00		
24.00 X	2.50		
24.00 X	3.00		
24.00 X	3.50		
24.00 X	4.00		
24.00 X	5.00		
24.00 X	5.50		
24.00 X	6.00		
24.20 X	3.00		
24.20 X	5.70		
24.30 X	2.40		
24.40 X	3.10		G25
24.50 X	2.40		
24.50 X	3.00		
24.50 X	4.50		
24.60 X	3.00		
24.60 X	3.60		R19
24.70 X	3.50		P25
24.77 X	5.33		318
24.99 X	3.53		214
25.00 X	1.00		
25.00 X	1.50		
25.00 X	2.00		
25.00 X	2.50		
25.00 X	3.00		
25.00 X	3.50		
25.00 X	4.00		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
25.00 X	5.00		
25.00 X	6.00		
25.00 X	8.00		
25.07 X	2.62		120
25.10 X	1.60		
25.12 X	1.78		022
25.20 X	3.00		
25.30 X	2.40		
25.50 X	3.00		
25.80 X	3.53		618
26.00 X	1.00		
26.00 X	1.20		
26.00 X	1.50		
26.00 X	2.00		
26.00 X	2.50		
26.00 X	3.00		
26.00 X	3.50		
26.00 X	4.00		
26.00 X	4.50		
26.00 X	5.00		
26.00 X	6.00		
26.07 X	2.62		
26.20 X	3.00		
26.20 X	3.60		R20
26.34 X	5.33		319
26.50 X	3.00		
26.57 X	3.53		215
26.62 X	2.95		914
26.65 X	2.62		121
26.70 X	1.78		023
27.00 X	1.00		
27.00 X	1.50		
27.00 X	2.00		
27.00 X	2.50		
27.00 X	3.00		
27.00 X	3.50		

Dimensions			Size Ref. No.
I/D	X	C/S	
27.00 X	5.00		
27.10 X	1.60		
27.30 X	2.40		
27.30 X	2.70		
27.50 X	1.50		
27.50 X	2.00		
27.50 X	3.00		
27.60 X	2.40		
27.70 X	3.50		P28
27.80 X	3.60		R21
27.94 X	5.33		320
28.00 X	1.00		
28.00 X	1.20		
28.00 X	1.50		
28.00 X	2.00		
28.00 X	2.50		
28.00 X	3.00		
28.00 X	3.50		
28.00 X	4.00		
28.00 X	4.50		
28.00 X	5.00		
28.00 X	6.00		
28.17 X	3.53		216
28.25 X	2.62		122
28.30 X	1.78		024
28.70 X	3.50		P29
29.00 X	1.50		
29.00 X	2.00		
29.00 X	2.50		
29.00 X	3.00		
29.00 X	3.50		
29.00 X	4.00		
29.00 X	5.00		
29.00 X	8.00		
29.10 X	1.60		
29.10 X	2.55		
29.20 X	3.00		

Dimensions			Size Ref. No.
I/D	X	C/S	
29.30 X	3.60		R22
29.40 X	1.00		
29.40 X	3.10		G30
29.50 X	1.50		
29.50 X	2.00		
29.50 X	2.50		
29.50 X	3.00		
29.50 X	4.50		
29.52 X	5.33		321
29.60 X	2.40		
29.74 X	2.95		916
29.74 X	3.53		217
29.82 X	2.62		123
29.87 X	1.78		025
29.90 X	1.00		
30.00 X	1.50		
30.00 X	2.00		
30.00 X	2.50		
30.00 X	3.00		
30.00 X	3.50		
30.00 X	4.00		
30.00 X	4.50		
30.00 X	5.00		
30.00 X	6.00		
30.00 X	7.00		
30.20 X	3.00		
30.30 X	2.40		
30.50 X	1.00		
30.80 X	3.60		R23
31.00 X	1.50		
31.00 X	2.00		
31.00 X	2.50		
31.00 X	3.00		
31.00 X	3.50		
31.00 X	4.00		
31.00 X	4.50		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
31.12 X	5.33		322
31.34 X	3.53		218
31.42 X	2.62		124
31.47 X	1.78		026
31.50 X	2.00		
31.50 X	2.50		
31.50 X	3.00		
31.60 X	2.40		
31.70 X	3.50		P32
31.80 X	1.00		
31.80 X	1.40		
31.80 X	1.50		
32.00 X	1.00		
32.00 X	1.50		
32.00 X	2.00		
32.00 X	2.50		
32.00 X	3.00		
32.00 X	3.50		
32.00 X	4.00		
32.00 X	4.50		
32.00 X	5.00		
32.00 X	5.70		
32.00 X	6.00		
32.00 X	7.00		
32.00 X	8.00		
32.10 X	1.60		
32.20 X	3.00		
32.50 X	3.00		
32.50 X	3.60		R24
32.69 X	5.33		323
32.92 X	3.53		219
33.00 X	1.50		
33.00 X	2.00		
33.00 X	2.50		
33.00 X	2.62		125
33.00 X	3.00		

Dimensions			Size
I/D	X	C/S	Ref. No.
33.00 X	4.00		
33.00 X	5.00		
33.00 X	6.00		
33.05 X	1.78		027
33.30 X	2.40		
33.70 X	3.50		P34
34.00 X	1.50		
34.00 X	2.00		
34.00 X	2.50		
34.00 X	3.00		
34.00 X	3.50		
34.00 X	4.00		
34.00 X	4.50		
34.00 X	5.00		
34.00 X	5.50		
34.00 X	6.00		
34.10 X	3.60		R25
34.20 X	2.00		
34.20 X	5.70		
34.29 X	5.33		324
34.40 X	3.10		G35
34.42 X	2.95		918
34.50 X	3.00		
34.52 X	3.53		220
34.60 X	2.40		
34.60 X	2.62		126
34.65 X	1.78		028
34.70 X	3.50		P35
35.00 X	1.00		
35.00 X	1.20		
35.00 X	1.50		
35.00 X	2.00		
35.00 X	2.50		
35.00 X	3.00		
35.00 X	3.50		
35.00 X	4.00		

Dimensions			Size
I/D	X	C/S	Ref. No.
35.00 X	5.00		
35.00 X	6.00		
35.00 X	10.00		
35.10 X	1.60		
35.20 X	5.70		
35.50 X	3.00		
35.60 X	3.60		R26
35.70 X	3.50		P36
36.00 X	1.50		
36.00 X	1.78		
36.00 X	2.00		
36.00 X	2.50		
36.00 X	3.00		
36.00 X	3.50		
36.00 X	4.00		
36.00 X	4.50		
36.00 X	5.00		
36.00 X	6.00		
36.09 X	3.53		221
36.17 X	2.62		127
36.20 X	3.00		
36.27 X	1.78		517
36.50 X	1.00		
36.50 X	2.00		
36.50 X	3.00		
37.00 X	1.50		
37.00 X	2.00		
37.00 X	2.50		
37.00 X	3.00		
37.00 X	3.50		
37.00 X	4.00		
37.00 X	4.50		
37.00 X	5.00		
37.00 X	6.00		
37.10 X	1.60		
37.20 X	3.00		
37.30 X	3.60		R27

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
37.46 X	3.00		920
37.47 X	5.33		325
37.50 X	3.00		
37.50 X	4.50		
37.60 X	2.40		
37.69 X	3.53		222
37.70 X	3.50		P38
37.77 X	2.62		128
37.82 X	1.78		029
38.00 X	1.00		
38.00 X	1.50		
38.00 X	2.00		
38.00 X	2.50		
38.00 X	3.00		
38.00 X	3.50		
38.00 X	4.00		
38.00 X	4.50		
38.00 X	5.00		
38.00 X	6.00		
38.00 X	7.00		
38.00 X	10.00		
38.70 X	3.50		P39
39.00 X	1.00		
39.00 X	1.50		
39.00 X	2.00		
39.00 X	2.50		
39.00 X	3.00		
39.00 X	3.50		
39.00 X	4.00		
39.00 X	4.50		
39.00 X	5.00		
39.00 X	5.50		
39.00 X	6.00		
39.00 X	6.50		
39.20 X	3.00		
39.20 X	5.70		
39.35 X	2.62		129

Dimensions			Size
I/D	X	C/S	Ref. No.
39.40 X	3.10		G40
39.43 X	1.78		519
39.50 X	1.50		
39.50 X	2.00		
39.50 X	3.00		
39.60 X	2.40		
39.70 X	3.50		P40
39.70 X	3.53		824
40.00 X	1.00		
40.00 X	1.20		
40.00 X	1.50		
40.00 X	2.00		
40.00 X	2.50		
40.00 X	3.00		
40.00 X	3.50		
40.00 X	4.00		
40.00 X	4.50		
40.00 X	5.00		
40.00 X	6.00		
40.00 X	7.00		
40.64 X	5.33		326
40.70 X	3.50		P41
40.87 X	3.53		223
40.95 X	2.62		130
41.00 X	1.50		
41.00 X	1.78		030
41.00 X	2.00		
41.00 X	2.50		
41.00 X	3.00		
41.00 X	3.50		
41.00 X	4.00		
41.00 X	4.50		
41.00 X	5.00		
41.20 X	5.70		
41.28 X	3.53		825
41.50 X	3.00		
41.60 X	2.40		

Dimensions			Size
I/D	X	C/S	Ref. No.
41.70 X	3.50		P42
42.00 X	1.00		
42.00 X	1.50		
42.00 X	2.00		
42.00 X	2.50		
42.00 X	3.00		
42.00 X	3.50		
42.00 X	4.00		
42.00 X	4.50		
42.00 X	5.00		
42.00 X	5.50		
42.00 X	6.00		
42.00 X	8.00		
42.00 X	10.00		
42.10 X	1.15		
42.20 X	3.00		
42.50 X	3.00		
42.50 X	5.33		
42.52 X	2.62		131
42.86 X	3.53		826
43.00 X	1.50		
43.00 X	2.00		
43.00 X	2.50		
43.00 X	3.00		
43.00 X	3.50		
43.00 X	4.00		
43.00 X	4.50		
43.00 X	5.00		
43.00 X	6.00		
43.40 X	3.60		
43.70 X	3.00		924
43.70 X	3.50		P44
43.82 X	5.33		327
44.00 X	1.50		
44.00 X	2.00		
44.00 X	2.50		
44.00 X	3.00		



Certificate Number: 14352
ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
44.00 X	3.50		
44.00 X	4.00		
44.00 X	4.50		
44.00 X	5.00		
44.00 X	6.00		
44.04 X	3.53		224
44.12 X	2.62		132
44.17 X	1.78		031
44.20 X	3.00		
44.20 X	5.70		
44.40 X	3.10		G45
44.45 X	3.53		827
44.50 X	3.00		
44.60 X	2.40		
44.70 X	3.50		P45
45.00 X	1.50		
45.00 X	2.00		
45.00 X	2.50		
45.00 X	3.00		
45.00 X	3.50		
45.00 X	4.00		
45.00 X	4.50		
45.00 X	5.00		
45.00 X	5.50		
45.00 X	6.00		
45.00 X	7.00		
45.30 X	5.70		
45.50 X	1.50		
45.70 X	2.62		133
45.70 X	3.50		P46
45.84 X	1.78		
46.00 X	1.50		
46.00 X	2.00		
46.00 X	2.50		
46.00 X	3.00		
46.00 X	4.00		

Dimensions			Size
I/D	X	C/S	Ref. No.
46.00 X	5.00		
46.00 X	6.00		
46.04 X	3.53		828
46.99 X	5.33		328
47.00 X	1.50		
47.00 X	2.00		
47.00 X	2.50		
47.00 X	3.00		
47.00 X	3.50		
47.00 X	4.00		
47.00 X	4.50		
47.00 X	5.00		
47.00 X	6.00		
47.00 X	7.00		
47.20 X	5.70		
47.22 X	3.53		225
47.30 X	2.62		134
47.35 X	1.78		032
47.60 X	2.40		
47.62 X	3.53		829
47.70 X	3.50		P48
48.00 X	1.50		
48.00 X	2.00		
48.00 X	2.50		
48.00 X	3.00		
48.00 X	3.50		
48.00 X	4.00		
48.00 X	4.50		
48.00 X	5.00		
48.00 X	6.00		
48.00 X	6.50		
48.00 X	7.00		
48.00 X	8.00		
48.70 X	3.50		P49
48.90 X	2.62		135
49.00 X	1.50		

Dimensions			Size
I/D	X	C/S	Ref. No.
49.00 X	2.50		
49.00 X	3.00		
49.00 X	3.50		
49.00 X	4.00		
49.00 X	4.50		
49.00 X	5.00		
49.00 X	6.00		
49.00 X	6.50		
49.20 X	3.53		830
49.20 X	5.70		
49.40 X	3.10		G50
49.50 X	3.00		
49.60 X	2.40		
49.70 X	3.50		P50
50.00 X	1.50		
50.00 X	2.00		
50.00 X	2.50		
50.00 X	3.00		
50.00 X	3.50		
50.00 X	4.00		
50.00 X	4.50		
50.00 X	5.00		
50.00 X	5.50		
50.00 X	6.00		
50.00 X	6.50		
50.00 X	7.00		
50.17 X	5.33		329
50.39 X	3.53		226
50.47 X	2.62		136
50.52 X	1.78		033
50.80 X	3.53		831
51.00 X	2.00		
51.00 X	2.50		
51.00 X	3.00		
51.00 X	3.50		
51.00 X	4.00		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
51.00 X	5.00		P52
51.10 X	1.60		
51.20 X	5.70		
51.60 X	2.40		
51.60 X	5.70		
52.00 X	1.50		
52.00 X	2.00		
52.00 X	2.50		
52.00 X	3.00		
52.00 X	3.50		
52.00 X	4.00		
52.00 X	5.00		
52.00 X	6.00		
52.00 X	8.00		
52.07 X	2.62	137	
52.40 X	3.53	832	
52.60 X	5.70	P5	
53.00 X	1.50		
53.00 X	2.00		
53.00 X	2.50		
53.00 X	3.00		
53.00 X	3.50		
53.00 X	4.00		
53.00 X	4.50		
53.00 X	5.00		
53.00 X	5.70		
53.00 X	6.00		
53.10 X	3.00	928	
53.34 X	5.33	330	
53.50 X	1.20		
53.57 X	3.53	227	
53.64 X	2.62	138	
53.70 X	1.78	034	
53.97 X	3.53	833	
54.00 X	1.50		
54.00 X	2.00		

Dimensions			Size Ref. No.
I/D	X	C/S	
54.00 X	3.00		G55
54.00 X	3.50		
54.00 X	4.00		
54.00 X	5.00		
54.00 X	5.50		
54.00 X	6.00		
54.00 X	7.00		
54.00 X	8.00		
54.20 X	3.00		
54.20 X	5.70		
54.40 X	3.10		
54.50 X	3.00		
54.60 X	2.40		
54.60 X	5.70	P55	
55.00 X	1.50		
55.00 X	2.00		
55.00 X	2.50		
55.00 X	3.00		
55.00 X	3.50		
55.00 X	4.00		
55.00 X	5.00		
55.00 X	6.00		
55.00 X	7.00		
55.20 X	5.70		
55.25 X	2.62	139	
55.56 X	3.53	834	
55.60 X	5.70	P56	
56.00 X	1.50		
56.00 X	2.00		
56.00 X	2.50		
56.00 X	3.00		
56.00 X	3.50		
56.00 X	4.00		
56.00 X	4.50		
56.00 X	5.00		
56.52 X	5.33	331	

Dimensions			Size Ref. No.
I/D	X	C/S	
56.82 X	2.62		140
56.87 X	1.78		035
57.00 X	1.50		
57.00 X	2.00		
57.00 X	2.50		
57.00 X	3.00		
57.00 X	3.50		
57.00 X	4.00		
57.00 X	4.50		
57.00 X	5.00		
57.00 X	6.00		
57.00 X	6.50		
57.00 X	7.00		
57.00 X	8.00		
57.00 X	16.00		
57.15 X	3.53		835
57.20 X	5.70		
57.60 X	2.40		
57.60 X	5.70		P58
58.00 X	1.50		
58.00 X	2.00		
58.00 X	2.50		
58.00 X	3.00		
58.00 X	3.50		
58.00 X	4.00		
58.00 X	5.00		
58.00 X	6.00		
58.00 X	7.00		
58.42 X	2.62		141
58.74 X	3.53		836
59.00 X	1.50		
59.00 X	2.00		
59.00 X	2.50		
59.00 X	3.00		
59.00 X	3.50		
59.00 X	4.00		

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size Ref. No.	
I/D	X	C/S		
59.20	X	5.70	G60	
59.36	X	3.00		
59.40	X	3.10		
59.50	X	3.00		
59.60	X	2.40		
59.60	X	5.70		P60
59.69	X	5.33		332
59.92	X	3.53		229
59.99	X	2.62		142
60.00	X	1.00		036
60.00	X	1.50		
60.00	X	2.00		
60.00	X	2.50		
60.00	X	3.00		
60.00	X	3.50		
60.00	X	4.00		
60.00	X	4.50		
60.00	X	5.00		
60.00	X	6.00	837	
60.00	X	7.00		
60.00	X	8.00		
60.05	X	1.78		
60.32	X	3.53		
61.00	X	2.00		
61.00	X	2.50		
61.00	X	3.00		
61.00	X	3.50		
61.00	X	4.00		
61.00	X	4.50		
61.00	X	5.00		
61.00	X	6.00		
61.20	X	5.70		
61.60	X	2.40		
61.60	X	2.62	143	
61.60	X	5.70	P62	
61.90	X	3.53	838	

Dimensions			Size Ref. No.	
I/D	X	C/S		
62.00	X	2.00	P63	
62.00	X	2.50		
62.00	X	3.00		
62.00	X	3.50		
62.00	X	4.00		
62.00	X	5.00		
62.00	X	5.50		
62.00	X	6.00		
62.20	X	5.70		
62.60	X	5.70		
62.87	X	5.33	333	
63.00	X	1.50	230	
63.00	X	2.00		
63.00	X	2.50		
63.00	X	3.00		
63.00	X	3.50		
63.00	X	4.00		
63.00	X	4.50		
63.00	X	5.00		
63.00	X	6.00		
63.00	X	7.00		
63.00	X	9.00	144	
63.09	X	3.53		
63.17	X	2.62		
63.22	X	1.78		037
63.50	X	3.53		839
64.00	X	1.50		
64.00	X	2.00		
64.00	X	2.50		
64.00	X	3.00		
64.00	X	3.50		
64.00	X	4.00		
64.00	X	4.50		
64.00	X	5.00		
64.00	X	6.00		
64.20	X	5.70		

Dimensions			Size Ref. No.	
I/D	X	C/S		
64.50	X	3.00	P65	
64.60	X	2.40		
64.60	X	5.70		
64.77	X	2.62		145
65.00	X	1.50		
65.00	X	2.00		
65.00	X	2.50		
65.00	X	3.00		
65.00	X	3.50		
65.00	X	4.00		840
65.00	X	4.50		
65.00	X	5.00		
65.00	X	6.00		
65.10	X	3.53		
66.00	X	1.50		
66.00	X	2.00		
66.00	X	2.50		
66.00	X	3.00		
66.00	X	3.50		
66.00	X	4.00		
66.00	X	4.50		
66.00	X	5.00		
66.00	X	6.00	334	
66.04	X	5.33		
66.27	X	3.53		231
66.34	X	2.62		146
66.40	X	1.78		038
66.60	X	5.70		P67
66.67	X	3.53		841
67.00	X	1.50		
67.00	X	2.00		
67.00	X	2.50		
67.00	X	3.00		
67.00	X	3.50		
67.00	X	4.00		
67.00	X	5.00		



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings


Dimensions			Size
I/D	X	C/S	Ref. No.
67.20	X	5.70	
67.60	X	2.40	
67.95	X	2.62	147
68.00	X	1.50	
68.00	X	2.00	
68.00	X	2.50	
68.00	X	3.00	
68.00	X	3.50	
68.00	X	4.00	
68.00	X	4.50	
68.00	X	5.00	
68.00	X	6.00	
68.00	X	7.00	
68.00	X	8.00	
68.26	X	3.53	842
69.00	X	1.50	
69.00	X	2.00	
69.00	X	2.50	
69.00	X	3.00	
69.00	X	3.50	
69.00	X	4.00	
69.00	X	4.50	
69.00	X	5.00	
69.00	X	6.00	
69.20	X	5.70	
69.22	X	5.33	335
69.40	X	3.10	G70
69.44	X	3.53	232
69.50	X	3.00	
69.52	X	2.62	148
69.57	X	1.78	039
69.60	X	2.40	
69.60	X	5.70	P70
69.85	X	3.53	843
70.00	X	1.50	
70.00	X	2.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
70.00	X	3.00	
70.00	X	3.50	
70.00	X	4.00	
70.00	X	4.50	
70.00	X	5.00	
70.00	X	5.50	
70.00	X	6.00	
70.00	X	6.50	
70.00	X	7.00	
70.00	X	8.00	
70.00	X	10.00	
71.00	X	1.50	
71.00	X	2.00	
71.00	X	2.50	
71.00	X	3.00	
71.00	X	3.50	
71.00	X	4.00	
71.00	X	4.50	
71.00	X	5.00	
71.12	X	2.62	149
71.20	X	5.70	
71.44	X	3.53	844
72.00	X	1.50	
72.00	X	2.00	
72.00	X	2.50	
72.00	X	3.00	
72.00	X	3.50	
72.00	X	4.00	
72.00	X	5.00	
72.00	X	5.50	
72.00	X	6.00	
72.00	X	10.00	
72.20	X	5.70	
72.39	X	5.33	336
72.62	X	3.53	233
72.70	X	2.62	150

Dimensions			Size
I/D	X	C/S	Ref. No.
73.00	X	1.50	
73.00	X	2.00	
73.00	X	2.50	
73.00	X	3.00	
73.00	X	3.50	
73.00	X	4.00	
73.00	X	4.50	
73.00	X	5.00	
73.00	X	6.00	
73.02	X	3.53	845
74.00	X	1.50	
74.00	X	2.00	
74.00	X	2.50	
74.00	X	3.00	
74.00	X	3.50	
74.00	X	4.00	
74.00	X	4.50	
74.00	X	5.00	
74.00	X	6.00	
74.00	X	7.00	
74.00	X	8.00	
74.20	X	5.70	
74.30	X	2.62	640
74.50	X	3.00	
74.50	X	3.10	G75
74.60	X	3.53	846
74.60	X	5.70	P75
74.63	X	5.33	619
75.00	X	1.50	
75.00	X	2.00	
75.00	X	2.50	
75.00	X	3.00	
75.00	X	3.50	
75.00	X	4.00	
75.00	X	4.50	
75.00	X	5.00	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

Contact
 Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
75.00	X	7.00	
75.00	X	7.50	
75.00	X	9.00	
75.57	X	5.33	337
75.80	X	3.53	234
75.87	X	2.62	151
75.92	X	1.78	041
76.00	X	1.50	
76.00	X	2.00	
76.00	X	2.50	
76.00	X	3.00	
76.00	X	3.50	
76.00	X	4.00	
76.00	X	4.50	
76.00	X	5.00	
76.00	X	6.00	
77.00	X	1.50	
77.00	X	2.00	
77.00	X	2.50	
77.00	X	3.00	
77.00	X	3.50	
77.00	X	4.00	
77.00	X	5.00	
77.00	X	7.00	
77.20	X	5.70	
77.50	X	2.62	641
78.00	X	1.50	
78.00	X	2.00	
78.00	X	2.50	
78.00	X	3.00	
78.00	X	3.50	
78.00	X	4.00	
78.00	X	5.00	
78.00	X	6.00	
78.74	X	5.33	338
78.97	X	3.53	235

Dimensions			Size
I/D	X	C/S	Ref. No.
79.00	X	1.78	532
79.00	X	2.00	
79.00	X	2.50	
79.00	X	3.00	
79.00	X	3.50	
79.00	X	4.00	
79.00	X	5.00	
79.00	X	6.00	
79.20	X	5.70	
79.40	X	3.10	G80
79.50	X	3.00	
79.77	X	5.33	620
80.00	X	2.00	
80.00	X	2.50	
80.00	X	3.00	
80.00	X	3.50	
80.00	X	4.00	
80.00	X	4.50	
80.00	X	5.00	
80.00	X	6.00	
80.00	X	8.00	
80.00	X	10.00	
80.60	X	2.62	642
81.00	X	2.00	
81.00	X	2.50	
81.00	X	3.00	
81.00	X	3.50	
81.00	X	4.00	
81.00	X	4.50	
81.00	X	5.00	
81.00	X	6.00	
81.20	X	5.70	
81.92	X	5.33	339
82.00	X	1.50	
82.00	X	2.00	
82.00	X	2.50	

Dimensions			Size
I/D	X	C/S	Ref. No.
82.00	X	3.50	
82.00	X	4.00	
82.00	X	5.00	
82.00	X	7.00	
82.14	X	3.53	236
82.20	X	5.70	
82.22	X	2.62	152
82.27	X	1.78	042
83.00	X	2.00	
83.00	X	2.50	
83.00	X	3.00	
83.00	X	3.50	
83.00	X	4.00	
83.00	X	4.50	
83.00	X	5.00	
83.00	X	5.50	
83.00	X	7.00	
83.80	X	2.62	643
84.00	X	1.50	
84.00	X	2.00	
84.00	X	2.50	
84.00	X	3.00	
84.00	X	3.50	
84.00	X	4.00	
84.00	X	5.00	
84.00	X	6.00	
84.00	X	9.00	
84.20	X	5.70	
84.40	X	3.10	G85
84.50	X	3.00	
85.00	X	1.50	
85.00	X	2.00	
85.00	X	2.50	
85.00	X	3.00	
85.00	X	3.50	
85.00	X	4.00	



Certificate Number: 14352
ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
85.00	X	5.00	
85.00	X	6.00	
85.00	X	7.00	
85.09	X	5.33	340
85.32	X	3.53	237
85.34	X	1.78	534
86.00	X	1.60	
86.00	X	2.00	
86.00	X	2.50	
86.00	X	3.00	
86.00	X	3.50	
86.00	X	4.50	
86.00	X	5.00	
86.00	X	6.00	
86.50	X	4.00	
87.00	X	1.50	
87.00	X	2.00	
87.00	X	2.50	
87.00	X	3.00	
87.00	X	3.50	
87.00	X	4.00	
87.00	X	5.00	
87.20	X	5.70	
88.00	X	1.50	
88.00	X	2.00	
88.00	X	2.50	
88.00	X	3.00	
88.00	X	3.50	
88.00	X	4.00	
88.00	X	5.00	
88.00	X	6.00	
88.27	X	5.33	341
88.30	X	7.00	
88.49	X	3.53	238
88.57	X	2.62	153
88.62	X	1.78	043

Dimensions			Size
I/D	X	C/S	Ref. No.
89.00	X	2.00	
89.00	X	2.50	
89.00	X	3.00	
89.00	X	3.50	
89.00	X	4.00	
89.00	X	4.50	
89.00	X	5.00	
89.20	X	5.70	
89.40	X	3.10	G90
89.50	X	3.00	
89.69	X	5.33	621
90.00	X	2.00	
90.00	X	2.50	
90.00	X	3.00	
90.00	X	3.50	
90.00	X	4.00	
90.00	X	4.50	
90.00	X	5.00	
90.00	X	6.00	
90.00	X	7.00	
90.00	X	10.00	
91.00	X	2.00	
91.00	X	2.50	
91.00	X	3.00	
91.00	X	3.50	
91.00	X	4.00	
91.00	X	5.00	
91.44	X	5.33	342
91.67	X	3.53	239
91.70	X	1.78	536
92.00	X	1.50	
92.00	X	2.00	
92.00	X	2.50	
92.00	X	3.00	
92.00	X	3.50	
92.00	X	4.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
92.00	X	5.00	
92.00	X	6.00	
92.20	X	5.70	
92.75	X	2.62	
93.00	X	2.00	
93.00	X	2.50	
93.00	X	3.00	
93.00	X	3.50	
93.00	X	4.00	
93.00	X	5.00	
93.00	X	6.00	
94.00	X	2.00	
94.00	X	2.50	
94.00	X	3.00	
94.00	X	3.50	
94.00	X	4.00	
94.00	X	5.00	
94.10	X	5.70	
94.40	X	3.10	G95
94.50	X	3.00	
94.62	X	5.33	343
94.84	X	3.53	240
94.92	X	2.62	154
94.97	X	1.78	044
95.00	X	1.50	
95.00	X	2.00	
95.00	X	2.50	
95.00	X	3.00	
95.00	X	3.50	
95.00	X	4.00	
95.00	X	4.50	
95.00	X	5.00	
95.00	X	6.00	
95.00	X	7.00	
95.00	X	8.00	
96.00	X	1.50	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
96.00	X	2.50	
96.00	X	3.00	
96.00	X	3.50	
96.00	X	4.00	
96.00	X	5.00	
96.00	X	6.00	
96.60	X	1.60	
97.00	X	1.50	
97.00	X	2.00	
97.00	X	2.50	
97.00	X	3.00	
97.00	X	3.50	
97.00	X	4.00	
97.00	X	5.00	
97.20	X	5.70	
97.79	X	5.33	344
98.00	X	1.50	
98.00	X	2.00	
98.00	X	2.50	
98.00	X	3.00	
98.00	X	3.50	
98.00	X	4.00	
98.00	X	4.50	
98.00	X	5.00	
98.00	X	6.00	
98.00	X	7.00	
98.02	X	3.53	241
98.05	X	1.78	538
99.00	X	2.00	
99.00	X	2.50	
99.00	X	3.00	
99.00	X	3.50	
99.00	X	4.00	
99.00	X	5.00	
99.00	X	6.00	
99.20	X	5.70	
99.40	X	3.10	G100

Dimensions			Size
I/D	X	C/S	Ref. No.
99.50	X	3.00	
99.60	X	5.70	P100
100.00	X	1.50	
100.00	X	2.00	
100.00	X	2.50	
100.00	X	3.00	
100.00	X	3.50	
100.00	X	4.00	
100.00	X	4.50	
100.00	X	5.00	
100.00	X	5.33	622
100.00	X	6.00	
100.00	X	7.00	
100.00	X	8.00	
100.00	X	10.00	
100.95	X	1.60	
100.97	X	5.33	345
101.00	X	2.50	
101.00	X	3.00	
101.00	X	4.30	
101.20	X	3.53	242
101.27	X	2.62	155
101.32	X	1.78	045
101.60	X	5.70	P102
102.00	X	2.00	
102.00	X	2.50	
102.00	X	3.00	
102.00	X	3.50	
102.00	X	4.00	
102.00	X	5.00	
103.00	X	2.00	
103.00	X	2.50	
103.00	X	3.00	
103.00	X	3.50	
103.00	X	4.00	
103.00	X	5.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
104.00	X	2.50	
104.00	X	3.00	
104.00	X	4.00	
104.00	X	5.00	
104.00	X	5.70	
104.00	X	6.00	
104.14	X	5.33	346
104.37	X	3.53	243
104.40	X	1.78	540
104.40	X	3.10	G105
104.50	X	3.00	
105.00	X	2.00	
105.00	X	2.50	
105.00	X	3.00	
105.00	X	3.50	
105.00	X	4.00	
105.00	X	4.50	
105.00	X	5.00	
105.00	X	6.00	
105.00	X	7.00	
106.00	X	2.00	
106.00	X	2.50	
106.00	X	3.00	
106.00	X	3.50	
106.00	X	4.00	
106.00	X	6.00	
106.00	X	7.00	
106.50	X	2.40	
107.00	X	2.50	
107.00	X	3.00	
107.00	X	4.00	
107.00	X	5.00	
107.32	X	5.33	347
107.54	X	3.53	244
107.62	X	2.62	156
107.67	X	1.78	046



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
108.00	X	2.50	G110
108.00	X	3.00	
108.00	X	3.20	
108.00	X	3.50	
108.00	X	4.00	
108.00	X	5.00	
108.00	X	6.00	
108.00	X	8.00	
109.00	X	2.00	
109.00	X	2.50	
109.00	X	3.00	
109.00	X	3.50	
109.00	X	4.00	
109.00	X	5.00	
109.00	X	5.50	
109.20	X	5.70	
109.40	X	3.10	
109.50	X	3.00	
109.50	X	5.50	
109.54	X	5.33	
110.00	X	2.00	
110.00	X	2.50	
110.00	X	3.00	
110.00	X	3.50	
110.00	X	4.00	
110.00	X	4.50	
110.00	X	5.00	
110.00	X	6.00	
110.00	X	7.00	
110.00	X	11.00	
110.49	X	5.33	
110.72	X	3.53	
110.74	X	1.78	
111.00	X	2.50	
111.00	X	3.00	
111.00	X	5.00	
111.00	X	6.00	

Dimensions			Size Ref. No.
I/D	X	C/S	
112.00	X	2.50	G115
112.00	X	3.00	
112.00	X	4.00	
112.00	X	5.00	
112.00	X	6.00	
113.00	X	2.50	
113.00	X	3.00	
113.00	X	3.50	
113.00	X	4.00	
113.00	X	5.00	
113.67	X	5.33	
113.67	X	7.00	
113.89	X	3.53	
113.97	X	2.62	
114.00	X	2.50	
114.00	X	3.00	
114.00	X	4.00	
114.00	X	5.00	
114.00	X	5.50	
114.00	X	6.00	
114.00	X	8.00	
114.00	X	9.00	
114.02	X	1.78	
114.30	X	5.70	
114.40	X	3.10	
114.50	X	3.00	
114.70	X	7.00	
115.00	X	1.60	
115.00	X	2.00	
115.00	X	2.50	
115.00	X	3.00	
115.00	X	4.00	
115.00	X	5.00	
115.00	X	6.00	
116.00	X	2.50	
116.00	X	3.00	
116.00	X	4.00	

Dimensions			Size Ref. No.
I/D	X	C/S	
116.84	X	7.00	426
117.00	X	2.50	G120
117.00	X	3.00	
117.00	X	4.00	
117.00	X	5.00	
117.07	X	3.53	
117.10	X	1.78	
117.48	X	5.33	
118.00	X	2.50	
118.00	X	3.00	
118.00	X	4.00	
118.00	X	5.00	
118.00	X	6.00	
119.00	X	2.50	
119.00	X	3.00	
119.00	X	4.00	
119.00	X	5.00	
119.20	X	5.70	
119.40	X	3.10	
119.50	X	3.00	
120.00	X	2.00	
120.00	X	3.00	
120.00	X	3.50	
120.00	X	4.00	
120.00	X	5.00	
120.00	X	6.00	
120.00	X	10.00	
120.02	X	5.33	
120.02	X	7.00	
120.25	X	3.53	
120.32	X	2.62	
120.37	X	1.78	
120.65	X	5.33	
121.00	X	2.50	
121.00	X	3.00	
121.00	X	4.00	
121.00	X	5.00	



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact
 Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
122.00	X	2.50	
122.00	X	3.00	
122.00	X	3.50	
122.00	X	4.00	
122.00	X	5.00	
122.00	X	6.00	
123.00	X	2.50	
123.00	X	3.00	
123.00	X	4.00	
123.00	X	5.00	
123.00	X	6.00	
123.00	X	6.30	
123.19	X	5.33	352
123.19	X	7.00	428
123.42	X	3.53	249
123.44	X	1.78	546
123.83	X	5.33	862
124.00	X	2.50	
124.00	X	3.00	
124.00	X	3.25	
124.00	X	4.00	
124.00	X	5.00	
124.00	X	6.00	
124.00	X	18.00	
124.30	X	5.70	
124.40	X	3.10	G125
124.50	X	3.00	
124.60	X	7.00	625
125.00	X	2.40	
125.00	X	2.50	
125.00	X	3.00	
125.00	X	3.50	
125.00	X	4.00	
125.00	X	5.00	
125.00	X	6.00	
125.00	X	8.30	
125.60	X	2.00	

Dimensions			Size Ref. No.
I/D	X	C/S	
126.00	X	3.00	
126.00	X	4.00	
126.00	X	5.00	
126.00	X	6.00	
126.37	X	5.33	353
126.37	X	7.00	429
126.60	X	3.53	250
126.67	X	2.62	159
126.72	X	1.78	049
127.00	X	2.50	
127.00	X	3.00	
127.00	X	4.00	
127.00	X	5.00	
127.00	X	5.33	863
128.00	X	2.50	
128.00	X	3.00	
128.00	X	4.00	
128.00	X	5.00	
128.00	X	6.00	
129.00	X	2.50	
129.00	X	3.00	
129.00	X	4.00	
129.00	X	5.00	
129.20	X	5.70	
129.40	X	1.78	548
129.40	X	3.10	G130
129.50	X	3.00	
129.54	X	5.33	354
129.54	X	7.00	430
129.77	X	3.53	251
130.00	X	2.00	
130.00	X	2.50	
130.00	X	3.00	
130.00	X	4.00	
130.00	X	5.00	
130.00	X	6.00	
130.18	X	5.33	864

Dimensions			Size Ref. No.
I/D	X	C/S	
130.50	X	3.00	
131.00	X	2.50	
131.00	X	3.00	
131.00	X	4.00	
131.00	X	5.00	
131.20	X	5.70	
132.00	X	2.50	
132.00	X	3.00	
132.00	X	4.00	
132.00	X	5.00	
132.00	X	6.00	
132.72	X	5.33	355
132.72	X	7.00	431
132.95	X	3.53	252
133.00	X	2.50	
133.00	X	3.00	
133.00	X	4.00	
133.00	X	5.00	
133.02	X	2.62	160
133.07	X	1.78	050
133.35	X	5.33	865
134.00	X	2.50	
134.00	X	3.00	
134.00	X	4.00	
134.00	X	5.00	
134.00	X	6.00	
134.30	X	5.70	
134.40	X	3.10	G135
134.50	X	3.00	
134.50	X	7.00	626
135.00	X	2.50	
135.00	X	3.00	
135.00	X	4.00	
135.00	X	5.00	
135.00	X	6.00	
135.00	X	10.00	
135.76	X	1.78	550



Certificate Number: 14352
ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
135.89	X	5.33	356
135.89	X	7.00	432
136.00	X	2.50	
136.00	X	3.00	
136.00	X	4.00	
136.00	X	5.00	
136.00	X	6.00	
136.12	X	3.53	253
136.53	X	5.33	866
137.00	X	2.50	
137.00	X	3.00	
137.00	X	4.00	
137.00	X	5.00	
138.00	X	2.50	
138.00	X	3.00	
138.00	X	4.00	
138.00	X	5.00	
138.00	X	6.00	
138.94	X	1.78	551
139.00	X	2.50	
139.00	X	3.00	
139.00	X	4.00	
139.00	X	5.00	
139.07	X	5.33	357
139.07	X	7.00	433
139.30	X	3.53	254
139.30	X	5.70	
139.37	X	2.62	161
139.40	X	3.10	G140
139.50	X	3.00	
139.70	X	5.33	867
140.00	X	2.00	
140.00	X	2.50	
140.00	X	3.00	
140.00	X	4.00	
140.00	X	5.00	
140.00	X	6.00	
140.00	X	8.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
140.00	X	10.00	
141.00	X	2.50	
141.00	X	3.00	
141.00	X	4.00	
141.00	X	5.00	
142.00	X	2.50	
142.00	X	3.00	
142.00	X	4.00	
142.00	X	5.00	
142.00	X	6.00	
142.11	X	1.78	552
142.24	X	5.33	358
142.24	X	7.00	434
142.47	X	3.53	255
142.88	X	5.33	868
143.00	X	2.50	
143.00	X	3.00	
143.00	X	4.00	
143.00	X	5.00	
144.00	X	2.50	
144.00	X	3.00	
144.00	X	4.00	
144.00	X	5.00	
144.10	X	8.40	
144.30	X	5.70	
144.40	X	3.10	G145
144.50	X	3.00	
144.60	X	5.70	P145
145.00	X	2.50	
145.00	X	4.00	
145.00	X	5.00	
145.00	X	5.50	
145.29	X	1.78	553
145.42	X	5.33	359
145.42	X	7.00	435
145.64	X	3.53	256
145.72	X	2.62	162

Dimensions			Size
I/D	X	C/S	Ref. No.
146.00	X	3.00	
146.00	X	4.00	
146.00	X	5.00	
146.00	X	6.00	
146.05	X	5.33	869
147.00	X	2.50	
147.00	X	3.00	
147.00	X	4.00	
147.00	X	5.00	
148.00	X	2.50	
148.00	X	3.00	
148.00	X	4.00	
148.00	X	5.00	
148.00	X	6.00	
148.46	X	1.78	554
148.59	X	5.33	360
148.59	X	7.00	436
148.82	X	3.53	257
149.00	X	2.50	
149.00	X	3.00	
149.00	X	4.00	
149.00	X	5.00	
149.10	X	8.40	
149.20	X	5.70	
149.23	X	5.33	870
149.50	X	3.00	
149.60	X	5.70	P150
150.00	X	2.00	
150.00	X	2.50	
150.00	X	3.00	
150.00	X	3.50	
150.00	X	4.00	
150.00	X	5.00	
150.00	X	6.00	
150.00	X	8.00	
150.00	X	10.00	
151.00	X	2.50	
151.64	X	1.78	555



Certificate Number: 14352
ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom

O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
151.77	X	5.33	361
151.77	X	7.00	437
152.00	X	2.50	
152.00	X	3.00	
152.00	X	3.53	258
152.00	X	4.00	
152.00	X	5.00	
152.07	X	2.62	163
153.00	X	2.50	
153.00	X	5.00	
153.00	X	6.00	
154.00	X	2.50	
154.00	X	3.00	
154.00	X	4.00	
154.00	X	5.00	
154.00	X	6.00	
154.10	X	8.40	
154.30	X	5.70	G155
154.50	X	3.00	
154.80	X	5.70	
154.81	X	1.78	556
155.00	X	2.50	
155.00	X	3.00	
155.00	X	4.00	
155.00	X	5.00	
155.00	X	5.33	644
155.00	X	6.00	
155.60	X	7.00	872
156.00	X	2.50	
156.00	X	3.00	
156.00	X	4.00	
156.00	X	5.00	
156.00	X	6.00	
157.00	X	2.50	
157.00	X	3.00	
157.00	X	4.00	
157.00	X	5.00	
157.00	X	6.00	

Dimensions			Size Ref. No.
I/D	X	C/S	
158.00	X	1.78	557
158.00	X	2.50	
158.00	X	3.00	
158.00	X	4.00	
158.00	X	5.00	
158.00	X	6.00	
158.12	X	5.33	362
158.12	X	7.00	438
158.34	X	3.53	259
158.42	X	2.62	164
159.10	X	8.40	
159.30	X	5.70	G160
159.50	X	3.00	
159.50	X	7.00	627
160.00	X	2.50	
160.00	X	3.00	
160.00	X	3.50	
160.00	X	4.00	
160.00	X	5.00	
160.00	X	6.00	
160.00	X	8.00	
160.00	X	9.00	
160.00	X	10.00	
161.00	X	2.50	
161.16	X	1.78	558
161.30	X	5.33	645
161.60	X	2.40	
161.90	X	7.00	874
162.00	X	2.50	
162.00	X	3.00	
162.00	X	4.00	
162.00	X	5.00	
162.00	X	6.00	
163.00	X	2.50	
164.00	X	2.50	
164.10	X	8.40	
164.20	X	5.70	
164.30	X	5.70	G165

Dimensions			Size Ref. No.
I/D	X	C/S	
164.34	X	1.78	559
164.47	X	5.33	363
164.47	X	7.00	439
164.50	X	3.00	
164.70	X	3.53	260
164.77	X	2.62	165
164.80	X	5.70	
165.00	X	2.00	
165.00	X	2.50	
165.00	X	3.00	
165.00	X	4.00	
165.00	X	5.00	
165.00	X	6.00	
165.00	X	7.00	
166.00	X	2.50	
166.70	X	5.33	
166.70	X	7.00	628
167.00	X	2.50	
167.00	X	3.00	
167.51	X	1.78	560
167.70	X	5.33	646
168.00	X	3.00	
168.00	X	4.00	
168.00	X	5.00	
168.00	X	5.70	
168.30	X	7.00	876
169.00	X	2.50	
169.00	X	4.00	
169.00	X	5.00	
169.10	X	8.40	
169.30	X	5.70	G170
169.50	X	3.00	
169.80	X	5.70	
170.00	X	2.50	
170.00	X	3.00	
170.00	X	4.00	
170.00	X	5.00	



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
170.00	X	6.00	
170.69	X	1.78	561
170.82	X	5.33	364
170.82	X	7.00	440
171.04	X	3.53	261
171.12	X	2.62	166
172.00	X	2.50	
172.00	X	3.00	
172.00	X	4.00	
172.00	X	5.00	
172.00	X	6.00	
173.87	X	1.78	562
174.00	X	2.50	
174.00	X	3.00	
174.00	X	3.20	
174.00	X	4.00	
174.00	X	5.00	
174.00	X	5.33	647
174.00	X	6.00	
174.00	X	8.00	
174.00	X	9.00	
174.10	X	8.40	
174.20	X	5.70	
174.50	X	3.00	
174.60	X	7.00	878
174.80	X	5.70	
175.00	X	2.50	
175.00	X	3.00	
175.00	X	4.00	
175.00	X	5.00	
175.00	X	6.00	
177.17	X	5.33	365
177.17	X	7.00	441
177.40	X	3.53	262
177.47	X	2.62	167
178.00	X	3.00	
178.00	X	4.00	
178.00	X	5.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
178.00	X	6.00	
178.00	X	10.00	
179.00	X	3.00	
179.10	X	8.40	
179.30	X	5.70	G180
179.50	X	3.00	
179.50	X	5.70	
180.00	X	2.00	
180.00	X	3.00	
180.00	X	4.00	
180.00	X	5.00	
180.00	X	6.00	
180.00	X	8.00	
180.00	X	10.00	
181.00	X	7.00	880
182.00	X	3.00	
182.00	X	4.00	
182.00	X	5.00	
182.00	X	6.00	
183.50	X	3.00	
183.52	X	5.33	366
183.52	X	7.00	442
183.74	X	3.53	263
183.82	X	2.62	168
184.00	X	4.00	
184.00	X	5.00	
184.00	X	6.00	
184.10	X	8.40	
184.30	X	5.70	G185
184.50	X	3.00	
185.00	X	3.00	
185.00	X	4.00	
185.00	X	5.00	
185.00	X	6.00	
186.00	X	3.00	
186.00	X	4.00	
187.30	X	7.00	882
188.00	X	3.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
188.00	X	4.00	
188.00	X	5.00	
188.00	X	6.00	
189.10	X	8.40	
189.20	X	5.70	G190
189.50	X	3.00	
189.30	X	5.70	
189.87	X	5.33	367
189.87	X	7.00	443
190.00	X	3.00	
190.00	X	4.00	
190.00	X	5.00	
190.00	X	6.00	
190.10	X	3.53	264
190.17	X	2.62	169
192.00	X	3.00	
192.00	X	4.00	
192.00	X	5.00	
192.00	X	7.00	
193.30	X	4.00	
193.70	X	7.00	884
194.00	X	2.00	
194.00	X	4.00	
194.00	X	6.10	
194.10	X	8.40	
194.30	X	5.70	G195
194.50	X	3.00	
195.00	X	3.50	
195.00	X	4.00	
195.00	X	5.00	
195.00	X	6.00	
195.00	X	8.00	
195.00	X	10.00	
196.22	X	5.33	368
196.22	X	7.00	444
196.44	X	3.53	265
196.52	X	2.62	170



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom

O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
198.00	X	4.00	
198.00	X	5.00	
198.00	X	6.00	
199.10	X	8.40	
199.20	X	5.70	G200
199.50	X	3.00	
199.80	X	5.70	
200.00	X	2.00	
200.00	X	2.50	
200.00	X	3.00	
200.00	X	4.00	
200.00	X	5.00	
200.00	X	6.00	
200.00	X	7.00	886
200.00	X	8.00	
200.00	X	10.00	
200.00	X	15.00	
202.00	X	5.00	
202.00	X	6.00	
202.57	X	5.33	369
202.57	X	7.00	445
202.80	X	3.53	266
202.87	X	2.62	171
203.00	X	3.00	
203.00	X	4.00	
203.00	X	5.00	
204.00	X	6.00	
204.20	X	5.70	
205.00	X	2.50	
205.00	X	3.00	
205.00	X	4.00	
205.00	X	4.50	
205.00	X	5.00	
205.00	X	6.00	
205.00	X	9.00	
205.00	X	10.00	
206.00	X	6.00	
208.00	X	3.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
208.00	X	4.00	
208.00	X	5.00	
208.00	X	6.00	
208.00	X	10.00	
208.90	X	7.00	445A
208.92	X	5.33	370
208.92	X	7.00	674
209.10	X	8.40	
209.14	X	3.53	267
209.22	X	2.62	172
209.30	X	5.70	G210
209.50	X	3.00	
210.00	X	2.00	
210.00	X	3.00	
210.00	X	4.00	
210.00	X	5.00	
210.00	X	6.00	
210.00	X	8.00	
210.00	X	10.00	
212.00	X	3.00	
212.00	X	4.00	
212.00	X	5.00	
212.00	X	6.00	
212.00	X	6.30	
212.00	X	7.00	
215.00	X	3.00	
215.00	X	4.00	
215.00	X	5.00	
215.00	X	6.00	
215.27	X	5.33	
215.27	X	7.00	371
215.50	X	3.53	446
215.57	X	2.62	268
216.00	X	8.00	173
217.00	X	5.00	
218.00	X	3.00	
218.00	X	4.00	
218.00	X	4.50	

Dimensions			Size
I/D	X	C/S	Ref. No.
218.00	X	5.00	
218.00	X	5.80	
218.00	X	6.00	
219.10	X	8.40	
219.30	X	5.70	G220
219.50	X	3.00	
219.50	X	3.20	
220.00	X	3.00	
220.00	X	4.00	
220.00	X	5.00	
220.00	X	6.00	
220.00	X	8.00	
220.00	X	10.00	
221.60	X	7.00	446A
221.60	X	7.50	
221.62	X	5.33	372
221.84	X	3.53	269
221.92	X	2.62	174
222.00	X	6.00	
224.00	X	3.80	
225.00	X	3.00	
225.00	X	4.00	
225.00	X	5.00	
225.00	X	6.00	
225.00	X	10.00	
225.00	X	15.00	
226.00	X	8.00	
227.00	X	3.20	
227.97	X	5.33	373
227.97	X	7.00	447
228.00	X	3.00	
228.00	X	4.00	
228.00	X	5.00	
228.00	X	10.00	
228.20	X	3.53	270
228.27	X	2.62	175
229.00	X	6.00	
229.10	X	8.40	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
229.30	X	5.70	G230
229.50	X	3.00	
230.00	X	3.00	
230.00	X	4.00	
230.00	X	5.00	
230.00	X	6.00	
230.00	X	8.00	
233.00	X	3.00	
234.30	X	5.70	
234.30	X	7.00	447A
234.32	X	5.33	374
234.55	X	3.53	271
234.62	X	2.62	176
235.00	X	3.00	
235.00	X	4.00	
235.00	X	5.00	
235.00	X	6.00	
235.00	X	8.00	
236.00	X	12.00	
238.00	X	5.00	
238.00	X	6.00	
239.10	X	8.40	
239.30	X	5.70	G240
239.50	X	3.00	
240.00	X	3.00	
240.00	X	4.00	
240.00	X	5.00	
240.00	X	6.00	
240.00	X	8.00	
240.00	X	10.00	
240.67	X	5.33	375
240.67	X	7.00	448
240.90	X	3.53	272
240.97	X	2.62	177
242.00	X	8.00	
243.00	X	3.00	
243.00	X	17.00	
245.00	X	3.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
245.00	X	4.00	
245.00	X	5.00	
245.00	X	6.00	
245.00	X	8.00	
247.00	X	3.00	
247.00	X	5.00	
247.00	X	6.00	
247.00	X	7.00	448A
247.02	X	5.33	376
247.25	X	3.53	273
247.32	X	2.62	178
248.00	X	5.00	
249.10	X	8.40	
249.30	X	5.70	G250
249.50	X	3.00	
250.00	X	3.00	
250.00	X	4.00	
250.00	X	5.00	
250.00	X	6.00	
250.00	X	7.00	
250.00	X	8.00	
250.00	X	10.00	
253.37	X	5.33	377
253.37	X	7.00	449
253.60	X	3.53	274
255.00	X	3.00	
255.00	X	4.00	
255.00	X	5.00	
255.00	X	5.70	
257.00	X	3.00	
257.00	X	5.00	
258.00	X	4.00	
258.00	X	6.00	
259.30	X	3.00	
259.30	X	5.70	G260
259.70	X	7.00	449A
260.00	X	3.00	
260.00	X	4.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
260.00	X	5.00	
260.00	X	6.00	
260.00	X	8.00	
262.00	X	2.00	
262.00	X	4.00	
262.00	X	5.00	
264.00	X	3.00	
264.00	X	10.00	
265.00	X	4.00	
265.00	X	5.00	
265.00	X	6.00	
265.00	X	7.00	
265.00	X	8.00	
265.30	X	3.00	
266.07	X	5.33	378
266.07	X	7.00	450
266.29	X	3.53	275
268.00	X	4.00	
268.00	X	5.00	
268.80	X	8.40	
269.30	X	5.70	G270
270.00	X	3.00	
270.00	X	4.00	
270.00	X	5.00	
270.00	X	6.00	
270.00	X	10.00	
272.40	X	7.00	450A
275.00	X	3.00	
275.00	X	4.00	
275.00	X	5.00	
275.00	X	6.00	
278.00	X	4.00	
278.00	X	5.00	
278.00	X	6.00	
278.77	X	5.33	379
278.77	X	7.00	451
278.99	X	3.53	276
279.00	X	8.00	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971
 FAX: +44 (0)1625 573250
 Munsch & Co/PTM Ltd
 Units AG2/3 Clarence Mill
 Clarence Road, Bollington
 Macclesfield, Cheshire
 SK10 5JZ
 United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
279.30	X	5.70	G280
280.00	X	3.00	
280.00	X	4.00	
280.00	X	5.00	
280.00	X	6.00	
280.00	X	7.00	
280.00	X	8.00	
280.00	X	10.00	
283.00	X	3.50	
285.00	X	3.00	
285.00	X	4.00	
285.00	X	5.00	
285.00	X	6.00	
285.10	X	7.00	451A
288.00	X	4.00	
288.00	X	5.00	
288.00	X	6.00	
289.30	X	5.70	G290
290.00	X	3.00	
290.00	X	4.00	
290.00	X	5.00	
290.00	X	6.00	
291.47	X	5.33	380
291.47	X	7.00	452
291.69	X	3.53	277
292.00	X	10.00	
295.00	X	4.00	
295.00	X	5.00	
295.00	X	6.00	
295.00	X	10.00	
297.00	X	4.00	
297.80	X	7.00	452A
298.00	X	4.00	
298.00	X	5.00	
299.30	X	5.70	G300
300.00	X	3.00	
300.00	X	4.00	
300.00	X	5.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
300.00	X	6.00	
300.00	X	6.30	
300.00	X	7.00	
300.00	X	9.00	
300.00	X	10.00	
304.17	X	5.33	381
304.17	X	7.00	453
304.39	X	3.53	278
305.00	X	4.00	
305.00	X	5.00	
305.00	X	6.00	
305.00	X	10.00	
308.00	X	4.00	
308.00	X	5.00	
309.00	X	3.00	
309.30	X	5.70	
310.00	X	4.00	
310.00	X	5.00	
310.00	X	6.00	
310.00	X	8.00	
310.00	X	16.00	
310.50	X	7.00	648
311.00	X	6.00	
312.00	X	4.00	
312.00	X	5.00	
315.00	X	3.00	
315.00	X	4.00	
315.00	X	5.00	
315.00	X	5.33	
315.00	X	6.00	
315.00	X	6.33	
315.00	X	10.00	
316.00	X	9.00	
316.87	X	7.00	454
318.00	X	4.00	
318.00	X	5.00	
319.20	X	3.53	
319.30	X	5.70	

Dimensions			Size
I/D	X	C/S	Ref. No.
320.00	X	3.00	
320.00	X	3.50	
320.00	X	4.00	
320.00	X	5.00	
320.00	X	6.00	
320.00	X	6.50	
320.00	X	7.00	
320.00	X	8.00	
323.20	X	7.00	649
325.00	X	4.00	
325.00	X	5.00	
325.00	X	6.00	
325.00	X	10.00	
326.00	X	8.00	
328.00	X	10.00	
329.57	X	5.33	382
329.57	X	7.00	455
329.79	X	3.53	279
330.00	X	4.00	
330.00	X	5.00	
330.00	X	5.70	
330.00	X	6.00	
330.00	X	8.00	
330.00	X	10.00	
335.00	X	4.00	
335.00	X	5.00	
335.00	X	6.00	
335.90	X	7.00	650
339.00	X	8.40	
339.30	X	5.70	
340.00	X	4.00	
340.00	X	5.00	
340.00	X	6.00	
340.00	X	10.00	
340.00	X	16.00	
342.00	X	5.00	
342.27	X	7.00	456
345.00	X	4.00	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom



Certificate Number: 14352
 ISO 9001



O-Rings

Dimensions			Size
I/D	X	C/S	Ref. No.
430.66	X	5.33	386
430.66	X	7.00	463
439.30	X	5.70	
440.00	X	3.00	
440.00	X	4.00	
440.00	X	7.00	
443.36	X	7.00	464
445.00	X	9.00	
450.00	X	4.00	
450.00	X	6.00	
450.00	X	7.00	
450.00	X	8.00	
450.00	X	10.00	
451.00	X	9.00	
454.00	X	8.40	
455.00	X	5.00	
456.06	X	3.53	284
456.06	X	5.33	387
456.06	X	7.00	465
459.30	X	5.70	
460.00	X	5.00	
460.00	X	6.00	
460.00	X	7.00	
460.00	X	8.00	
460.00	X	12.00	
461.00	X	8.40	
462.00	X	10.00	
462.00	X	15.00	
465.00	X	5.00	
468.76	X	7.00	466
470.00	X	4.00	
470.00	X	5.00	
470.00	X	6.00	
470.00	X	8.00	
470.00	X	10.00	
475.00	X	8.00	
475.00	X	10.00	
478.00	X	6.00	

Dimensions			Size
I/D	X	C/S	Ref. No.
479.30	X	5.70	
480.00	X	4.00	
480.00	X	5.00	
480.00	X	6.00	
480.00	X	7.00	
480.00	X	8.00	
480.00	X	9.00	
480.00	X	10.00	
481.38	X	5.33	388
481.46	X	7.00	467
483.00	X	8.40	
485.00	X	5.00	
485.00	X	5.70	
485.00	X	8.00	
488.00	X	6.00	
490.00	X	5.00	
490.00	X	7.00	
490.00	X	8.00	
490.00	X	10.00	
490.00	X	16.00	
491.49	X	5.33	
492.00	X	4.00	
494.16	X	7.00	468
498.00	X	14.00	
499.30	X	5.70	
500.00	X	3.00	
500.00	X	5.00	
500.00	X	6.00	
500.00	X	7.00	
500.00	X	8.00	
500.00	X	9.00	
500.00	X	10.00	
502.00	X	16.00	
505.00	X	3.00	
505.00	X	6.00	
505.00	X	10.00	
506.78	X	5.33	389
506.86	X	7.00	469

Dimensions			Size
I/D	X	C/S	Ref. No.
510.00	X	5.00	
515.00	X	7.00	
515.00	X	8.00	
517.00	X	5.33	
518.50	X	3.00	
519.30	X	5.70	
520.00	X	8.00	
520.00	X	10.00	
520.06	X	7.00	
525.00	X	5.00	
525.00	X	6.00	
525.00	X	8.00	
528.00	X	3.00	
529.30	X	5.70	
530.00	X	5.00	
530.00	X	6.00	
530.00	X	7.00	
530.00	X	10.00	
532.18	X	5.33	390
532.26	X	7.00	470
534.00	X	16.00	
540.00	X	10.00	
541.00	X	7.00	
541.00	X	14.00	
545.00	X	9.00	
550.00	X	5.00	
550.00	X	6.00	
550.00	X	7.00	
550.00	X	8.00	
552.00	X	4.00	
552.00	X	5.33	
554.30	X	5.70	
555.00	X	6.00	
557.58	X	5.33	391
557.66	X	7.00	471
560.00	X	8.00	
560.00	X	10.00	

Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom



Certificate Number: 14352
ISO 9001



O-Rings

Dimensions			Size Ref. No.
I/D	X	C/S	
562.00	X	7.50	
568.00	X	6.99	
570.00	X	10.00	
573.00	X	7.00	
575.00	X	4.00	
577.00	X	20.00	
580.00	X	8.00	
580.00	X	9.00	
580.00	X	10.00	
582.68	X	5.33	392
582.68	X	7.00	472
584.00	X	8.40	
585.00	X	16.00	
590.00	X	6.00	
590.00	X	10.00	
594.00	X	5.70	
595.00	X	6.00	
595.00	X	8.00	
600.00	X	7.00	
600.00	X	8.00	
600.00	X	10.00	
608.08	X	5.33	393
608.08	X	7.00	473
610.00	X	6.00	
610.00	X	6.35	
614.00	X	7.00	
614.00	X	8.00	
620.00	X	5.00	
620.00	X	8.00	
620.00	X	10.00	
625.00	X	3.00	
626.00	X	7.00	
630.00	X	8.00	
633.48	X	5.33	394
633.48	X	7.00	474
635.00	X	8.00	
637.00	X	10.00	
638.00	X	8.00	

Dimensions			Size Ref. No.
I/D	X	C/S	
640.00	X	7.00	
643.00	X	7.00	
650.00	X	7.00	
650.00	X	8.00	
650.00	X	10.00	
658.88	X	5.33	395
658.88	X	7.00	475
660.00	X	9.00	
660.00	X	10.00	
662.00	X	6.99	
665.00	X	6.00	
670.00	X	7.00	
670.00	X	8.00	
674.00	X	7.00	
675.00	X	7.00	
675.00	X	8.00	
680.00	X	7.00	
680.00	X	8.00	
680.00	X	8.40	
680.00	X	16.00	
685.00	X	7.00	
690.00	X	10.00	
695.00	X	8.00	
699.00	X	7.00	
700.00	X	8.00	
700.00	X	10.00	
702.00	X	20.00	
705.00	X	5.33	
705.00	X	7.00	
719.00	X	6.99	
724.00	X	7.00	
725.00	X	5.70	
725.00	X	9.00	
730.50	X	7.00	
735.00	X	7.00	
736.00	X	5.33	
739.00	X	7.00	
740.00	X	8.40	

Dimensions			Size Ref. No.
I/D	X	C/S	
743.00	X	10.00	
745.00	X	7.00	
760.00	X	7.00	
763.00	X	10.00	
776.00	X	7.00	
799.00	X	12.00	
800.00	X	7.00	
800.00	X	8.00	
805.00	X	20.00	
810.00	X	9.00	
820.00	X	7.00	
845.00	X	10.00	
847.00	X	5.33	
850.00	X	7.00	
860.00	X	7.00	
875.00	X	8.00	
878.00	X	5.33	
880.00	X	7.00	
890.00	X	5.70	
900.00	X	7.00	
925.00	X	10.00	
930.00	X	8.00	
930.00	X	9.00	
932.50	X	7.00	
950.00	X	10.00	
950.00	X	20.00	
997.00	X	7.00	
1000.00	X	10.00	
1014.00	X	5.33	
1014.00	X	7.00	
1075.00	X	7.00	
1075.00	X	10.00	
1185.00	X	7.00	
1245.00	X	7.00	

In addition we also offer a bespoke range of O-Rings formed from our full range of cords.



Certificate Number: 14352
 ISO 9001



Care should be taken in selecting the most suitable quality for each application. Advice is available, but final responsibility remains with the customer.

www.epdm.co.uk

E-Mail: Sales@epdm.co.uk

Contact

Telephone: +44 (0)1625 573971

FAX: +44 (0)1625 573250

Munsch & Co/PTM Ltd

Units AG2/3 Clarence Mill

Clarence Road, Bollington

Macclesfield, Cheshire

SK10 5JZ

United Kingdom